

Blue Super flex nylon - nitrilo - PU

Descripción

Los guantes Nara Safe – BLUE SÚPER FLEX recubiertos en nitrilo son de uso industrial para la protección manual de las personas en los diferentes procesos, provee una capa con resistencia al rasgado conforme a la EN388; está fabricado en un material sintético Nylon azul sin costuras. Permite muy buena comodidad, confort, mejor ajuste, mayor destreza y respirabilidad, estas especificaciones se traducen en una mayor productividad para el usuario y durabilidad para el elemento cuando se compara con otros guantes de protección general como los cueros.

Composición

Tejido: Nylon y spándex.

Recubrimiento: Nitrilo y Poliuretano basado en agua.

Gauge / Galga # 15

Longitud: mm 240-260

Presentación

REFERENCIA	TALLA	COLOR BANDA ELÁSTICA	CÓDIGO DE BARRAS
NS1220111	8	Café	4897040906029
NS1220112	9	Blanco	4897040906036
NS1220113	10	Azul	4897040906043

* Banda elástica color por talla

UNIDAD DE EMPAQUE	12 pares
CAJA MÁSTER	120 unidades
EMPAQUE INDIVIDUAL	Etiqueta de cartón
PESO	50 gr
LONGITUD	240mm - 260mm
COLOR	Azul

Características y usos

INFORMACIÓN GENERAL

Puño cerrado en nylon y spándex sin costura transpirable, Palma cubierta en nitrilo, para destreza y confort del usuario, de tipo multiuso. Ideal para metal metálica, Tienen un tejido de 360° sin costuras que permite que las manos respiren libremente. Gracias recubrimiento en nitrilo foam para tener mayor agarre y precisión en las labores a realizar. Recomendado para manipulaciones precisas. Resistente a la abrasión, permitiendo excelente motricidad fina y protección en presencia de hidrocarburos, sin sumergir.

USOS

Mantenimiento automotriz motos y aeronáuticos
Manejo de herramientas manual
Operaciones técnicas de construcción
Trabajos técnicos de mantenimiento industrial
Operaciones logísticas
Empaque y línea de producción
Operaciones con hidrocarburos
No sumergir.

Certificaciones y estándares

CE EN388 3131

Propiedades físicas

Prueba	Nivel
ABRASIÓN	3
CORTE	1
RASGADO	3
PUNZADURA	1

CE EN388



3131





Blue Super flex nylon - nitrilo - PU

Tablas informativas

CE EN388 Protección mecánica

NIVEL DE ENSAYO	1	2	3	4	5
A. Resistencia a la abrasión (ciclos)	100	500	2000	8000	-----
B. Resistencia al corte (índice)	1.2	2.5	5.0	10.0	20.0
C. Resistencia al rasgado (newton)	10	25	50	75	-----
D. Resistencia a la punzadura (newton)	20	60	100	150	-----

Tallas y medidas

Referencia	S	M	L	XL
Tallas	7	8	9	10
Longitud en mm	230	240	250	260

Blue Super flex nylon - nitrilo - PU / Certificaciones


Notified body N° 0075

EC-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EC-type examination in accordance with the article 10 of the PPE Directive (89/686/EEC) and has been shown to satisfy the relevant provisions of the Directive.

Certificate N° 0075/2582/162/03/17/0289

Is given to the following model of personal protective equipment :

Issued to :

Distributor :

Product reference : NP1001

Description :

PPE Type : Protective gloves against mechanical risks.

Reference standard : EN 388 : 2003.

Category : II

Full description of the PPE, reference rules verified in the context of the EC-type examination and information given on the product are detailed in the complete certificate N°0075/2582/162/03/17/0289.

Issued in Lyon by Lionel Gaudillere
Head of CE marking

Date of issue : March 07th, 2017




In application of the Directive ref 89/686/EEC of the 21th December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decree N°92-765, 766 and 768 of the 29th July 1992 concerning the transposition of this Directive into French law. CTC is notified by decree of the Ministry of work of the 20th December 2010 and is registered under the number 0075 in CJEU.





4 rue Hermann Fréhel 69367 Lyon cedex 07 FRANCE
Tel : 33 472 761 010 - Fax : 33 472 761 000 - email : cclyon@ctcgrupe.com - www.ctc.fr
Comité professionnel de développement économique cuir chaussure maroquinerie
Siret 77564972600100 - code NAF 9412Z - TVA FR 08775649726

Blue Super flex nylon - nitrilo - PU / Certificaciones



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgrroupe.com - www.ctc.fr

authorized by decrees of the Ministry of Work, Employment and Health of the 20th of December 2010,
registered under the number 0075, published in OJEC, delivers :

EC-TYPE EXAMINATION CERTIFICATE
0075/2582/162/03/17/0289

To the following model of personal protective equipment :

- * reference of the model : NP1001
- * protective glove against mechanical risks.
- * Manufacturer :

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on March 07th, 2017

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

Blue Super flex nylon - nitrilo - PU / Certificaciones



1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01
Reference : NP1001
Basic Model
Dated : MARCH, 2017

15G grey nylon & spandex liner with black foam nitrile & waterbase PU palm coating

Available sizes :

6 7 8 9 10 11

Visual description :



Material :

	Color	Material	Gauges	Thickness
Palm	Black	Foam nitrile & waterbase PU		0.6mm
	Grey	Nylon + spandex	15gauge	
Back	Grey	Nylon + spandex	15gauge	
Lining				
Cuff	Grey/ White	Nylon + spandex + elastic	15gauge	
Binding	Brown	polyester		

Blue Super flex nylon - nitrilo - PU / Certificaciones



2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)
- * This product is a category II.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC	Other
EN 420	S160200899, S150100242, S160301185	
Azo	S160200899, S150100242	
EN 388	S160200899 S170200880	
OTHER	S160200900 (DMFu), S160200899 (PAHs,TIN), SH61659-12 (Cad)	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	3	1

The levels of performance have been measured on the palm

Blue Super flex nylon - nitrilo - PU / Certificaciones



3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * CE marking
- * reference of the model: NP1001
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:





Blue Super flex nylon - nitrilo - PU / Certificaciones

MANUFACTURER'S TECHNICAL FILE

Reference of the product	:	NP1001
Technical file index	:	01
Last update	:	MARCH, 2017



Blue Super flex nylon - nitrilo - PU / Certificaciones

IDENTIFICATION

Reference of the product :	:	NP1001
Basic model	:	
Technical file index :	:	01
Last update :	:	MARCH, 2017

Manufacturer : _____

Factory : _____

Blue Super flex nylon - nitrilo - PU / Certificaciones

GLOVE DESCRIPTION

Glove description :

15G grey nylon & spandex liner with black foam nitrile & waterbase PU palm coating

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes
220	6
230	7
240	8
250	9
260	10
270	11

Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm		Black	Foam nitrile & waterbase PU	250g/m2		0.6mm
		Grey	Nylon + spandex	200g/m2	15gauge	
Back		Grey	Nylon + spandex	200g/m2	15gauge	
Lining						
Cuff		Grey/ White	Nylon + spandex + elastic	250g/m2	15gauge	
Binding		Brown	polyester			



Blue Super flex nylon - nitrilo - PU / Certificaciones

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5
PH of glove and lining is greater than 3.5 and lower than 9.5 : yes
Chromium VI lower than the detection limit : conform
Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	3
Puncture resistance	1

The levels of performance have been measured on the palm

Blue Super flex nylon - nitrilo - PU / Certificaciones

TEST REPORTS

Laboratory	CTC	Other
EN 420	S160200899, S150100242, S160301185	
Azo	S160200899, S150100242	
EN 388	S160200899 S170200880	
OTHER	S160200900 (DMFu), S160200899 (PAHs,TIN), SH61659-12 (Cad)	

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :

Logo 

Glove's reference : NP1001

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Marking example :



Method of marking on the glove :

PRINTING ON THE BACK OF GLOVE

Packaging :

12PAIRS/POLYBAG; 120 PAIRS/CARTON



Blue Super flex nylon - nitrilo - PU / Certificaciones

MEANS OF CONTROL

we control our quality according to ISO9001



Blue Super flex nylon - nitrilo - PU / Certificaciones

INSTRUCTION FOR USE

Glove reference : NP1001

Available sizes : 6 7 8 9 10 11

Glove description :

15G grey nylon & spandex liner with black foam nitrile & waterbase PU palm coating

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the Directive 89/686/CEE : innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :

Application :

Mechanical hazard - EN 388



4131

Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	3	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)

Protection limit :

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.